

Mucinex[®] Allergy Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Fexofenadine HCl USP, 180 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide

Questions? Call 1-855-419-9622